



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

is reported from Northern New York, was also found here on Presque Isle last summer. This Peninsula was explored several years ago by Dr. Garber and by Judge G. W. Clinton, and from these reports its peculiar and interesting flora, which represents plants from the seacoast as well as several western forms, has become known. This year the Botany Section of our young Naturalists' Society, undertook to follow up the discoveries of the two named botanists, and to add to their list new ones if possible. The above named little plant was the first new find.

To give an idea of the character of the Flora of Presque Isle, I mention the following plants that were collected by our Botany Section during last summer. *Cakile Americana*, Nutt.; *Arenaria lateriflora*, L.; *Hibiscus Moscheutos*, L.; *Lupinus perennis*, L.; *Lathyrus maritimus*, Big.; *Phaseolus diversifolius*, Pursh.; *Potentilla paradoxa*, Nutt.; *P. anserina* L.; *Nesaea verticillata*, H. B. K.; *Xanthium strumarium*, var. *echinatum*, Gray; *Bidens Beckii*, Torr.; *Artemisia Canadensis*, Mx.; *Lobelia Kalmii*, L.; *Arctostaphylos Uva-ursi*, Spreng.; *Pyrola rotundifolia*, L.; *P. elliptica*, Nutt.; *P. secunda*, L.; *Chimaphila umbellata* Nutt.; *Ch. maculata*, Pursh; *Ilex verticillata*, Gray; *Lysimachia thyrsiflora*, L.; *Utricularia vulgaris*, L.; *U. resupinata*, Greene; *U. cornuta*, Mx.; *Gerardia purpurea*, L.; *Castilleja coccinea*, Spreng.; *Physostegia Virginiana*, Benth.; *Scutellaria galericulata*, L.; *Lithospermum hirtum*, Lehm.; *Shepherdia Canadensis*, Nutt.; *Euphorbia polygonifolia*, L.; *Myrica cerifera*, L.; *Sparganium palustre*, L.; *Habenaria Hookeri*, Torr.; *Liparis Lœselii*, Rich.; *Juncus Balticus*, Dethard; *Cyperus Schweintzii*, Torr.; *Carex Pseudo-Cyperus*, L.; *C. histricina*, Willd.; *Eleocharis quadrangulata*, R. Br.; *Scirpus Torreyi*, Olney; *Zizania aquatica*, L.; *Sporobolus cryptandrus*, Gray; *Calamagrostis Canadensis*, Beauv.; *Tricuspis purpurea*, Gray; *Bromus racemosus*, L. Most of these plants have been reported before by the above named gentlemen.

Of the plants found in the streets of Erie may be mentioned, *Conium maculatum*, L.; *Blitum Bonus-Henricus*, Reich.; *Euphorbia Helioscopia*, L.; and *E. platyphylla*, L. Our Botany Section will continue their researches next summer, and hope to report new discoveries.

J. GUTTENBERG.

§ 14. *Utricularia resupinata*, Greene.—In the BULLETIN for October, 1879, are some remarks with regard to *Utricularia resupinata*, Greene. I collected that plant in August, 1875, at the same locality, mentioned in the BULLETIN—namely, muddy shore of Beaver Lake, No. 4, Lewis Co., N. Y. During the past season I collected quite a number of the same plant on the shore of Big Moose Lake, Herkimer Co., N. Y., and at Twitchell Lake, in the same county. I do not think it is uncommon through Northern New York.

FRANK TWEEDY.

Plainfield, N. J.

§ 15. *Aster concolor*, L., in Rhode Island.—I have to record the finding of *Aster concolor*, L., in Rhode Island. It was discovered by Miss Lydia Barstow, of this city, on what is known as the Old South Road, near the village of South Kingston, and again, in larger quantities,